

WheresTheDance.com

Webmaster Schedule Widget — Complete Reference

This document is the complete reference for the schedule widget you can embed on your own website, showing your club's (or your own, if you're a caller/cuer) upcoming dances automatically. It updates itself — once the code is on your page, you never need to touch it again unless you want to change how it looks.

There are two ways to get your code: the Webmaster Code Builder (Webmaster Tools menu, while logged in) builds it for you with point-and-click controls and a live preview — that's the easy way, and covers what most people need. This document is the full reference underneath it, for anyone who wants to hand-edit the code, understand exactly what's available, or do something the Code Builder doesn't yet offer a control for.

Quick Start

Paste this into your page's HTML, replacing YourClubID with your own club ID (find it via the Code Builder, or ask WTD support):

```
<script type="text/javascript" wtd-table="mySchedule"
src="https://www.wheresthedance.com/userData/wtdSchedule.php?
sponsorID=YourClubID&col_1=date&col_2=caller&col_3=description">
</script>
```

That's a working schedule with three columns: date, caller, and description. Everything below explains how to add, remove, reorder, or filter what shows up.

A note on the code samples in this document: they're wrapped across several lines here so they fit the page. In your actual file it should all be one line, with no line breaks inside the quotation marks — a stray line break inside the address will break it. The safest way to avoid this entirely is the Code Builder's Copy This Code button, which always produces a single, correct line.

How the Code Is Put Together

Every piece of the code after the ? is a name=value pair, joined with &. There are three kinds:

- **One filter** that says whose schedule to show (almost always sponsorID)
- **One or more columns** (col_1, col_2, ...) that say what to show in each row
- **Any table options** you want — a title, date format, and so on

Tip: number your columns 10, 20, 30... instead of 1, 2, 3 if you're hand-editing this. That leaves room to slide a new column in between two existing ones later (col_15) without renumbering everything after it. The Code Builder always uses plain 1, 2, 3... since it rewrites the whole list for you anyway.

Available Columns

Add a column with `col_N=value` (N is any number — it just controls left-to-right order). Give it a custom heading with `title_N=Your Heading`; otherwise it uses a sensible default. Column values are not case sensitive — `Date`, `date`, and `DATE` all work the same.

Date & Time

Column	What it shows
<code>date</code>	The event's date (also accepted as <code>startDate</code> — both do the same thing)
<code>endDate</code>	Ending date, for multi-day events
<code>dateRange</code>	Start and end date together, separated by “=>”, for multi-day events
<code>dow</code>	Day of the week, written out (Friday, Saturday, ...)
<code>week</code>	Week number of the year
<code>startTime</code>	Start time only
<code>endTime</code>	End time only
<code>time</code>	Start and end time together (e.g. 8:00 pm - 10:00 pm)

Who's Leading

Column	What it shows
<code>caller / callers</code>	Comma-separated list of callers (singular/plural only changes the default heading)
<code>cuer / cuers</code>	Comma-separated list of cuers
<code>instructor / instructors</code>	Comma-separated list of other instructors (line, clogging, contra, etc.)
<code>leaders</code>	All callers, cuers, and instructors together, one per line
<code>leaderPicture / leaderPictures</code>	Photo(s) of the leader(s), with name captions

About the Dance

Column	What it shows
<code>description</code>	Event description; automatically links to a flyer if one exists
<code>flyer</code>	A small thumbnail of the flyer image, linking to the full flyer
<code>level</code>	Level(s) offered
<code>levelIcon</code>	A small icon representing the level/type
<code>theme</code>	The event's theme, if any
<code>notes</code>	Free-text notes — see the caution below

Column	What it shows
cost	Admission cost
band	Band name, if set

Location

Column	What it shows
facilityName	Venue name, linked to a map
address	Full mailing address, linked to a map
directions	Written directions, if the venue has them on file
gps	Raw latitude/longitude

Club

Column	What it shows
sponsorName	Club name, linked to the club's own website if it has one
logo	Club logo image
clubContactName	Name of the club's primary contact
clubContactPhone	Phone number of the club's primary contact
url	A small link icon to the event's own web page, if one is set

Known issue: the notes column currently prints twice per row (a genuine bug in the live code, not a documentation error) — worth avoiding until it's fixed on WTD's end.

Table-Level Options

These affect the table as a whole, not any one column — add them anywhere in the web address, separated by & like everything else.

Option	Example Value	What it does
caption	Any text	Adds a title above the table. Plain text only — HTML typed here is now shown as literal text, not rendered, for security reasons.
dateFormat	PHP date() characters, e.g. j, M Y	Changes how dates are displayed. Default looks like “Sep 8, 2026”. See php.net’s date() page for every available character.
timeFormat	24	Switches to 24-hour time (20:00 instead of 8:00 pm). Leave it out for the 12-hour default.
displayDark	no	Hides cancelled (“dark”) dates entirely. Leave it out (or use yes) to show them, marked as dark.
noHeaders	1 (or anything)	Suppresses the column header row entirely.
sectionHeader	1 (or anything)	Groups rows under a heading for each month. Not offered in the Code Builder yet, but works if added by hand.

Filtering Which Events Show

Filters are additive — the more you use together, the fewer events show. Most webmasters only ever need sponsorID.

Filter	Value	What it does
sponsorID	Your club's ID	Shows only this club's events. This is the one almost everyone uses.
leaderID	A caller/cuer/instructor's ID	Shows only events where this person is leading — useful for a caller's own personal website.
facilityID	A venue's ID	Shows only events at this specific venue.
dow	1-7 (1 = Sunday ... 7 = Saturday)	Shows only events on this one day of the week.
type	An event type	Shows only events of this type.
activity	Dance, Class, and/or Workshop (comma-separated)	Shows only events with these activity type(s).
from	A date, e.g. 2026-08-01	Only events ending on or after this date.
to	A date, e.g. 2026-12-31	Only events ending on or before this date.
maxNumRows	A number, e.g. 10	Limits how many events show, even if more match.

Styling With Your Own CSS

The table and every cell carry class names you can target from your own site's CSS. Every cell is wrapped in a class named after its column (`wtd_date`, `wtd_caller`, and so on), and every row carries a class describing the type(s) of activity it contains:

- `wtd_dance`, `wtd_class`, `wtd_workshop`
- `wtd_classDance`, `wtd_classWorkshop`, `wtd_danceWorkshop` — for events combining two types
- `wtd_dark` — a cancelled date, if you're showing them

Example:

```
<style>
.wtd_dance { background-color: #ffffbe6; }
.wtd_class { background-color: #eaf4fb; }
.wtd_dark { color: #999; font-style: italic; }
.wtd_caption {
text-align: center;
font-size: 135%;
font-weight: bold;
}
.wtd_date { width: 130px; }
</style>
```

A Fuller Example

Combining several of the options above — a titled table, custom headings, a date range filter, and 24-hour time:

```
<script type="text/javascript" wtd-table="fallSchedule"
src="https://www.wheresthedance.com/userData/wtdSchedule.php?
sponsorID=YourClubID
&caption=Fall%202026%20Schedule
&col_1=date&title_1=When
&col_2=callers&title_2=Caller(s)
&col_3=description
&from=2026-09-01&to=2026-11-30
&timeFormat=24">
</script>
```

Questions or something not working as documented here? Contact WTD support with your club ID and the exact code you're using.